



# Jeti Mira LED

---

## A versatile printing solution.

Award-winning flatbed printer that relies on UV LED curing to offer you impressive print quality on a wide variety of media. Accelerate the printing process to 248 m<sup>2</sup>/h, use the dockable roll-to-roll extension or opt for 3D Lens Technology printing.

# Jeti Mira LED - A versatile printing solution



This award-winning flatbed printer now relies on UV LED curing to offer you impressive print quality on a wide variety of media. Accelerate the printing process to 248 m<sup>2</sup>/h, use the dockable roll-to-roll extension or opt for 3D Lens Technology printing whenever you need to.

The powerful and award-winning Jeti Mira is a moving-gantry flatbed printer specially designed to offer you optimal flexibility. Prints of up to 2.69 m wide, two table versions, LED curing and 3D Lens Technology – the latest Jeti Mira has it all.

Driven by Asanti workflow technology, integrable with cloud service for data exchange PrintSphere and optimized to work with Agfa's high-pigmented UV-inks, the Jeti Mira takes on any challenge. Generating high-quality, six color (CMYKLCm) + white prints, with optional varnish and primer, it perfectly meets the dynamic demands of mid- to high-end sign and display printers.

## A true flatbed

The Jeti Mira is a highly reliable and ruggedly built flatbed printer with a roll-to-roll option. Available with a table depth of either 1.6 m or 3.2 m and a table width of 2.69 m, it is suited for even the broadest of jobs. Thanks to its precise moving-gantry architecture, the engine offers you optimal flexibility and high-quality printing, both for rigid and flexible substrates.


## Linear motor

With two rows of fast-firing Ricoh MH5420 inkjet print heads, the speedy flatbed printer offers you outstanding productivity. In addition, the Jeti Mira is equipped with a linear motion system which achieves a very precise drop positioning and results in further improvements in image quality. With its UV LED curing, the Jeti Mira brings additional benefits in power consumption and application scope.

## UV LED print technology

Equipped with UV LED lamps for the curing process, the Jeti Mira comes with a number of economical, ecological and business-generating benefits:

- LEDs are cool to the touch and have minimal heat output, which is why they allow for a **broader scope of print applications**. They enable you to print on heat-sensitive substrates such as thin slides, self-adhesive sheets or stretched PVC materials, for example. Limited heat generation also enables very stable calibration.
- LED lamps can be switched on and off instantly, without any degradation of intensity. That means there is no lamp warm-up time or delay for shutter motion. The result? Faster operations and **higher productivity**.
- LEDs last for at least 10,000 hours each, which means that dependent on the usage they can last as long as five years or up to **a printer's lifetime**. They generate a consistent output throughout that period.
- LEDs have a low energy consumption, which leads to **significant power savings** and a higher ROI in the long run.
- As UV LED lamps **don't contain mercury**, there is no need for mercury disposal or any related costs. Also, LEDs **don't produce ozone gas** that needs to be extracted by ventilation.



### Roll-to-roll option

A versatile, powerful printing solution, the Jeti Mira features an optional roll-to-roll system that can be attached to the front of the flatbed table. It thus reduces the travel distance for print media, decreases the chance of skewing and improves accuracy on the Y axis.

Detach the module to keep it out of your way while performing rigid jobs or just leave it docked, whichever is more convenient for you. The roll-to-roll system fits in perfectly with the moving gantry and allows minimal waste production while printing on flexible media.

### ‘Print & Prepare’ mode

Thanks to its ‘Print & Prepare’ mode, the Jeti Mira allows you to load one side of the table while the other side is printing. As such, this feature reduces downtime and increases your productivity. It’s perfect for large boards, smaller boards and double-sided images.

Furthermore, operators working in ‘Print & Prepare’ mode can rely on a mirrored vacuum system and perfectly symmetrical table, with vacuum sections on both sides of the engine. Confusion over media layout? Not with the Jeti Mira.

### Up and running

Its robustness allows the Jeti Mira to meet the demands of a heavy workload. Its ink system – both print heads and ink reservoirs – are temperature controlled, ensuring that your ink hits media at the ideal temperature and no blockages are formed. Thanks to the shuttle’s accessibility, maintenance of the print heads has never been easier.



### Industry-leading print quality

As an Agfa Graphics solution, the Jeti Mira incorporates cutting-edge flatbed features and highly-advanced printing technology. It offers you all the advantages of the Jeti GUI system and uses Asanti technology to manage your workflow. It is also perfectly integrable with PrintSphere, Agfa’s cloud solution for easy file exchange and production automation.


The award-winning Jeti Mira produces outstanding print quality in six colors and white. Varnish, primer and 3D Lens Technology printing are optional extras. The 7 pl-droplets produce stunning, detailed images and razor-sharp texts – even with type as small as 4 pt, both positive and negative. The printer’s six color setup, further enhanced by intelligent gradient and masking technology, guarantees smooth tonal reproduction.

### Experienced worldwide service

Questions? Technical difficulties? Our team of experienced service technicians is here to assist. The Jeti Mira is even remotely accessible for support and maintenance.





# Impressive features



## Wide range of applications

The Jeti Mira prints on a wide variety of media: banners, posters, signage (e.g. traffic or industrial information), exhibit graphics, POP, mock-ups, backlit, front-lit, self-adhesives (labels) etc. It can also be used for niche applications such as DVDs, wood, art reproductions, personalized object printing (e.g. mousepads), party favors, architectural and interior decoration, lenticular printing and more.





1. **A TRUE MOVING-GANTRY FLATBED.** Sturdy, reliable and versatile.
2. **DOCKABLE ROLL-TO-ROLL SYSTEM.** Optional for rolls up to 2.05 m (80") wide, directly attached to the front of the printer and with the gantry transported right over it. The small transport distance minimizes media waste and enhances accuracy.
3. **ADVANCED GUI DESIGN.** The Agfa Graphics Jeti GUI system provides the ultimate functionality: cropping, rotating, auto-nesting, scaling, stepping, saving job parameters for reprints and more – all without needing to RIP the file again.
4. **UV LED PRINT TECHNOLOGY.** Equipped with air-cooled UV LED lamps for the curing process. These lamps allow you to print on heat-sensitive media and offer major advantages in terms of performance, costs, maintenance, and the environment.
5. **'PRINT & PREPARE' MODE.** Load one side of the table while the other side is printing. As the printer's table is mirrored, it's easier for operators to position media correctly. Or opt for the highly advanced 'Full Print & Prepare' mode, which enables full use of the printing bed in color mode.
6. **SIX VACUUM ZONES.** No curling or skewing with the Jeti Mira – all media stay perfectly flat during printing. All six zones are automatically and independently controlled, and a reverse-vacuum assist option is available for easy post-print removal of substrates. A mirrored layout of the print table ensures perfect clarity when it comes to media positioning.
7. **REGISTRATION PINS ON EVERY CORNER.** Guarantees a precise positioning of substrates, even for double-sided or imperfectly cut media. The pins are operable via the user interface or from a conveniently-located set of activation buttons at each of the four corners.
8. **SHUTTLE IS EQUIPPED WITH ANTI-STATIC BAR AND SAFETY SENSORS**
9. **ACCESS TO PRINT HEAD SHUTTLE FOR EASY MAINTENANCE**
10. **AUTOMATIC HEAD HEIGHT ADJUSTMENT.** A laser beam detects the media thickness and sends the measurements to the GUI.



## Vivid colors

**BEST-IN-CLASS AGFA-MADE INKS.** The widest color gamut with the lowest ink consumption per square meter, with excellent adhesion and a short curing time. Suitable for a wide variety of indoor and outdoor applications – flexible or rigid, coated or uncoated.

**UV-CURABLE LED INKS.** Always spot on and ideal for printing on heat-sensitive substrates. Specially designed to be compatible with UV LED print technology, which increases ROI, cuts costs, generates extra business and helps preserve the environment.

**WHITE INK FOR ALL APPLICATIONS.** For pre-, post- and sandwich white printing in spot and fill applications – both in flatbed and roll-to-roll mode.


**CLOG-FREE WHITE INK PRINTING.** No blockages or clogs of the white ink thanks to constant ink recirculation.

**PRIMER OPTION.** For even better adhesion to and durability on difficult substrates.

**VARNISH OPTION.** Adds a dramatic touch to your print jobs. You can now even create prints with exceptional stopping power through highly-advanced 3D Lens Technology.



# Focus on automation



## Powered by Asanti

The Jeti Mira is driven by Agfa Graphics' wide-format workflow software Asanti, which controls the entire printing process from prepress to production and finishing. As such, it simplifies, optimizes and automates as many steps as possible, offering you a high-performance solution for increased productivity. Moreover, the smart Asanti algorithms reduce your ink consumption, and consequently, your costs and environmental footprint.

Asanti's comprehensive integration of file handling, color management and preflighting guarantees error-free jobs ready to send to the appropriate wide-format output devices. It is completed by Asanti StoreFront, a web-to-print solution that lets you create and manage online stores and automatically process print orders.

## Integrable with PrintSphere

As a highly-advanced printer powered by Asanti, the Jeti Mira integrates perfectly with PrintSphere, Agfa Graphics' cloud-based service for production automation, easy file sharing and safe data storage. This integrable cloud service offers a standardized way for print service providers to automate their workflows and facilitate data exchange with customers, colleagues, freelancers, other departments and other Agfa solutions.

# Vivid colors, high performance

## Wide color gamut, no matter the medium

Agfa-made UV inks boast a wide color gamut and high color vibrancy in both indoor and outdoor applications. Providing outstanding adhesion – even on the most difficult substrates – these inks are your best option in terms of flexibility, image longevity and outdoor resistance. All of our UV inks – white and color – offer outstanding, stable jetting performance and deliver the same high-quality results, batch after batch.

## Agfa's UV-curable LED inks: always spot on

Relying on LED technology, our specially-formulated UV LED inks can print on heat-sensitive substrates, thus broadening the scope of possible applications. They are both customized and versatile, developed with a view of the many different media they are intended for, as well as the specifications of different print engines. Our inks for flexible media, for example, are perfectly suited for stretchable and bendable materials.

## Vivid prints, low ink consumption

Thanks to the high pigment load of our inks and the benefits of Asanti's algorithms, ink consumption per square meter is the lowest on the market. The amount of ink needed being one of the most important factors in calculating the cost of ownership for inkjet engines, this is a true asset that has been acknowledged by multiple awards.

Moreover, this 'thin ink layer' pigment dispersion technology does not mean the Jeti Mira compromises on quality. Quite the opposite is true – and not only does it result in eye-catching prints; it also helps preserve the environment and saves on your budget. In short, these inks offer the best possible price/quality ratio.





### Advanced white printing and white ink management

Printing on backlit media? Creating an opaque white background? Using white as a spot color? The Jeti Mira supports white printing in multiple modes (e.g. pre-white, post-white, sandwich white) on both rigid and roll media. Thanks to its stirring functionality, the Jeti Mira keeps the white ink in motion at all times. Constant recirculation flows along the ink lines – all the way to the temperature-controlled printer heads – limiting the risk of ink resettling and lines becoming blocked or clogged.

### Primer option for better surface tension

Difficult substrates – such as polypropylene, PMMA/acrylic, polystyrene, etc. – can pose adhesion and durability challenges for inkjet printing. Opting for the Jeti Mira's primer option, however, allows you to easily improve surface tension. A quickly-deposited primer ensures better print results – either as a 'fill' (the whole area) or 'mask' (printed areas only). The UV-cured primer formulation is optimized for the Ricoh MH5420 heads that are incorporated into the Jeti Mira. And because the primer is applied in low-coverage percentages, it hardly influences your cost per square meter of output.

### Varnish option and 3D Lens Technology

Looking for something extra to differentiate yourself from the competition? Varnish is the perfect solution. Used as 'spot' varnish, it can add a dramatic touch to many different applications, including POP displays, packaging, decorative prints and trade show graphics. Agfa Graphics' UV-curable varnish is compatible with almost all standard UV-printing media and cures to a perfect gloss or semi-gloss sheen.

Want to take it one step further? Create stunning 3D effects with real stopping power. Using a combination of varnish and image manipulation (e.g. printing transparent lenses), the Jeti Mira knows no print limits. This 3D Lens Technology adds depth to your print results by tuning the size of the varnish lenses and the array in which they are printed, as well as by relying on software elements to enhance pictures. 3D printing is a standard feature for Jeti Mira engines with varnish option in the first year. After this one-year license, you will be able to opt for a lifetime license.



## Specifications

AGFA GRAPHICS

MODELS	Jeti Mira MG2716 HS LED		Jeti Mira MG2732 HS LED	
MEDIA & PRINTING SPECIFICATIONS				
Rigid Media				
Maximum width	2.69 m (8.82 ft)			
Maximum length	1.6 m (5.24 ft)		3.2 m (10.49 ft)	
Minimum size	DIN A4 (21 cm x 27.7 cm) landscape			
Thickness	Min. 0.2 mm (0.008”) – max. 50.8 mm (2”)			
Maximum weight	37 kg/m2 (7.57 lb/ft2)			
Borderless printing	Up to 2.69 m x 1.6 m (8.82 ft x 5.54 ft)		Up to 2.69 m x 3.20 m (8.82 ft x 10.49 ft)	
Flexible media				
Max-min print width	2.05 m (6.72 ft) – 330 mm (13”)			
Max-min print height	Full roll length – n/a			
Max-min roll width	2.10 m (6.88 ft) – 330 mm (13”)			
Maximum length	Depends on total roll weight			
Max-min media thickness	3.2 mm (1/8”) – 0.2 mm (1/64”)			
Maximum weight	100 kg (220 lb)			
Maximum roll outside diameter	305 mm (12”)			
Roll core	7.62 cm (3”) (standard) or 15.24 cm (6”) (with adapters)			
Media skew	Max. 3 mm on 10 m printing			
Borderless printing flexible media	Up to 2.05 m (6.72 ft)			
PRODUCTIVITY				
Draft mode	248 m2/h (2669 ft2/h)			
Express mode	165 m2/h (1776 ft2/h)			
Production mode	83 m2/h (893 ft2/h)			
Standard mode	43 m2/h (462 ft2/h)			
High-quality mode	Positiv: 4-Punkt/Negativ: 6-Punkt			
High-definition mode	13 m2/h (139 ft2/h)			
MEDIA				
Media types	Reinforced vinyl, pressure-sensitive vinyl, canvas, fabrics, foam board, corrugated board, lenticular, tile, drywall, glass, sheet, metal, paper, and more			
PRINT HEADS & INKS				
Print heads	Piezoelectric Ricoh MH5420			
Ink	CMYKLcLm + white (optional primer or varnish)			
IMAGE & TEXT QUALITY				
Prints high quality	Up to 920 x 1200 dpi			
Text quality	4 point			
ENGINE DIMENSIONS & WEIGHT				
Flatbed printer dimensions (H x W x L)	1.84 m x 6.25 m x 2.54 m (6 ft x 20.5 ft x 8.33 ft)		1.84 m x 6.25 m x 4.4 m (6 ft x 20.5 ft x 14.4 ft)	
Flatbed printer with roll-to-roll unit dimensions (H x W x L)	1.84 m x 6.25 m x 3.05 m (6 ft x 20.5 ft x 10 ft)		1.84 m x 6.25 m x 4.9 m (6 ft x 20.5 ft x 16 ft)	
Flatbed printer weight	2776 kg (6120 lb)		3456 kg (7620 lb)	
Flatbed printer with roll-to-roll unit weight	3721 kg (8203 lb)		4401 kg (9703 lb)	
ELECTRICITY & COMPRESSED AIR				
Electricity	400Y / 230V, 3-phase 50/60 Hz 25 KVA (35A)			
Compressed air	5 cfm continuous air at 100-150 psi (8.3 m3/h at 6.9-10.3 bar)			
SYSTEM INTEGRATION RIP/WORKFLOW SOFTWARE				
	Asanti, PrintSphere, third-party rips			




Marketed and Distributed in India by :

**MONOTECH SYSTEMS LIMITED**

3rd Floor, City Centre, No. 66, Thirumalai Road, T. Nagar, Chennai - 600 017, INDIA

Phone +91 44 2815 7928 / 7894 / 7933, Fax +91 44 2815 7973

Toll Free (India) : 1 800 102 4567 | Email : info@monotech.in | Web : www.monotech.in

 monotechsysteMS  monotechsysteMS  monotechsysteMS

